



PlayStation 5 Teardown

We finally put down our PS5 long enough for a...

Written By: Taylor Dixon



INTRODUCTION

We finally put down our PS5 long enough for a proper teardown. You know we always stand ready to complain on your behalf when devices are tough to repair—and boy oh boy, do we mean it this time. We'd really like this thing to work again when we're done. We're not going to hold back, though—let's take this thing down to the studs. Here we go.

For more even more teardowns and repair content, be sure to follow iFixit's [YouTube channel](#), our [Instagram](#), and our [Twitter](#), and subscribe to our [newsletter](#) to be the first to know about our latest gadget investigations.



TOOLS:

[PlayStation Toolkit](#) (1)

[Spudger](#) (1)

[Phillips #00 Screwdriver](#) (1)

[Tweezers](#) (1)

[T8 Torx Security Bit Screwdriver](#) (1)

[Phillips #0 Screwdriver](#) (1)

Step 1 — PlayStation 5 Teardown



- We've played a bit of Spider-Man, caught up on sleep, and now it's time to dismantle this PS5. The last fully-fledged, whole-number PlayStation launch was way back in [November, 2013](#), so we're pretty excited. Here's what our gently-used system is packing:
 - AMD custom 8-core / 16-thread 3.5 GHz Zen 2 CPU
 - AMD custom RDNA 2 GPU (2230 MHz with 36 compute units)
 - 16 GB GDDR6 RAM
 - 825 GB of SSD storage (plus an m.2 SSD expansion slot)
 - HDMI 2.1 connectivity with support for 8K video at 60 Hz, or 4K at 120 Hz
- ☑ The final spec is an important one: do we tear down the disc-less Digital Edition, or the more expensive one with the 4K UHD Blu-ray drive?
 - We flip a coin to decide, and quickly lose it in the disc drive slot. Guess it'll be that one, then.

Step 2



- You may have heard the PS5 is big—but thankfully, it still fits in [Creative Electron's](#) X-ray cabinet. Check out the huge fan, and all the heat pipes overlapping like a freeway interchange.
- This thing absolutely towers over its [predecessor](#)—not to mention its [competition](#).
- To keep this curvy guy stable, Sony includes a thoughtfully designed [stand](#). With just a bit of fiddling, it allows the PS5 to either pose vertically or lie gracefully on its side.
 - ☑ There's also a small cubby on the bottom to stash the stand's screw when in horizontal mode. Smart!
- Around back, the PS5 shows off its ports: two USB-A 3.0, LAN, HDMI 2.1, and two-pin power. Add those to the duo of USB ports on the front (one Type A, one Type C), and you've got a reasonably well-connected console.
 - ⓘ The PS5 loses the [PS4's optical audio port](#)—possibly disappointing if you're holding onto an older receiver or sound bar.

Step 3



- As alien as this console looks, the opening procedure is actually quite human-friendly. Both white panels pop off with a gentle lift-and-slide motion—allowing immediate access to the M.2 SSD expansion slot, the fan, and ... vacuumable *dust ports*.
- When it comes to easy maintenance of your console's cooling hardware, you could say we're pretty big fans.
- But to go any farther, we need a T8 Torx *Security* driver. (Why on earth does your PS5's fan need security screws?)
 - ① The PS5 implements “omnidirectional” cooling, with this thick 120 mm squirrel cage pulling in cool air from both sides. It's capable of moving a *lot* of air, but Sony won't let it spin fast enough to make much noise.
- Thankfully, the M.2 storage expansion bay is *very* accessible. Remove one Phillips screw and a metal shield, and you're ready for upgrades. That's pretty thoughtful of Sony, especially since the [built-in storage](#) is worryingly limited.

Step 4




- More security screws line the path forward. One of them even lives under a tamper-evident sticker—thankfully not a "Warranty Void" sticker, which would be [illegal](#). (As always, you get to tinker and keep your warranty so long as you don't damage anything.)
- As we remove the first half of the black plastic shell, we're greeted by the optical drive.
- The slender optical drive doesn't put up much of a fight coming out—which would be good for potential replacements, until you actually *try* a replacement.
 - ☞ Just like the [Xbox Series X](#), our test results indicate that the PS5's optical drive is paired to its motherboard. A replacement drive simply won't read discs.
- There *might* be a workaround if you're willing to disassemble the drive and keep the original circuit board. We'll update if we get a chance to test that.

Step 5




- Did somebody tell Sony that we love screws? Because this steel plate is secured with a [ton of screws](#). Um, thanks!
- Underneath: a heat pipe for cooling a row of VRMs, connected to a [baby fin stack](#). Looks like we're seeing the back of the main board here—all the really serious cooling hardware is mounted down below.
- We may be approaching a point of no return, but let's un-mount the hardware and flip the board out.
- Yep, that shiny stuff covering the processor is none other than ~~mimetic polyalloy~~ [liquid metal](#), the king of high-performance thermal interface material.
 - ① Liquid metal is popular amongst PC modders and overclockers because it's an extremely efficient conductor of heat—*significantly* more efficient than conventional thermal pastes and putties. Translation? Cool chip run faster, make prettier graphic.
- But with that thermal conductivity comes some unwanted *electrical* conductivity—so you don't want it sloshing around in the wrong place.
- [Sony filed a patent](#) for an insulated, foam-cushioned pouch that keeps their liquid metal confined to the surface of the chip ... as long as you don't do what we're doing here.

Step 6




- Before we point out the big chips you've probably already heard about, here are some interesting features of this giant PCB:
 - Bothhand USA [GST5009 LF](#) 1000 Base-T Magnetics Module
 - Murata Piezo Buzzer
 - 3v battery backup (likely used for keeping the device's time and date)
 - Sony [J20H100](#) Wi-Fi Module
 - Power input prong that slots directly into the power supply
 - M.2 SSD expansion slot—likely to be very useful, [as soon as Sony actually enables it.](#)
 - Wi-Fi module antenna connector

Step 7




- Now for the main event. Here's a look at the silicon that powers the PS5:
 - Sony Interactive Entertainment Inc./AMD CXD90060GG 8-Core CPU w/ GPU
 - Sony Interactive Entertainment Inc. CXD90062GG SSD Controller
 - ⓘ Sony made a custom SSD controller to handle the PS5's crazy high data speeds—whereas the [Series X](#) uses a more conventional-looking setup with hardware from SanDisk.
 - SK Hynix [H5AN4G8NBJR-UHC](#) DDR4 SDRAM Memory - 512 MB
 - 6x (three per side) Kioxia/Toshiba Memory TH58LJT0T24BA4M [BiCS flash memory](#) (likely)
 - Micron [MT61K512M32KPA-14:B](#) 2 GB GDDR6 SGRAM

Step 8




- Additional chips aid in transferring data to and from the devices you connect to the PlayStation:
 - Sony Interactive Entertainment Inc. CXD90061GG I/O controller (likely)
 - Winbond [W25Q16JV](#) 16 Mb serial flash memory
 - Panasonic MN864739 HDMI redriver (likely)
 - Texas Instruments [TUSB1044](#) 10 Gbps USB Type-C bi-directional linear redriver
 - Texas Instruments [TPS2001D](#) 2 A USB power switch
 - These tiny chips help protect the device from harmful [electrostatic discharge](#).

Step 9



- What's the point of all of this silicon without a way to deliver the right amount of power to each chip? Here are the equally-important power chips:
 - Infineon XDPE14286A 16 Phase PWM Controller (likely)
 - ON Semiconductor [NCP252160](#) Power Module
 - Richtek RT5126 Power Management (likely)
 - Richtek RT5127 Power Management (likely)
 - Texas Instruments [TPS53219A](#) Synchronous Buck Controller
 - Texas Instruments [TLV62090](#) 3A Step Down Converter
 - The capacitors marked in purple do the [final voltage filtering](#) before power reaches the main processor, in order to keep the voltage completely stable. This is especially important if you want to run fast!

Step 10



- Underneath metal shield number two: a massive heatsink and funky-looking power supply.
 - Since heat rises naturally, it makes sense that this heatsink is designed to move heat upward through all those heat pipes we saw earlier in the X-ray. All the while, the heat radiating through the silver fin stacks is blown away by the fan.
 - [Compared to the Xbox Series X's heatsink](#), the PS5's definitely has some more surface area to spread that hot hot heat. The PS5 doesn't use a vapor chamber like the Series X, but [Sony claims](#) their combination of copper heat pipes and heatsinks is just as effective.
- ⓘ Hanging out below the giant heatsink is the PS5's boot-shaped 350-watt enclosed power supply—which is more than enough for the tested [200W draw](#) at full load, and a bit more even than the 315W power supply we found in the Series X.
- Here's a [closeup of the specs](#), for those of you who asked—the PSU itself is made by Delta.

Step 11



- The PlayStation 5 is a huge leap forward in console gaming technology, just like its Microsoft rival. It may have taken us a few weeks, but we've learned a lot in our time with the PS5.
- Its relatively modular and repair-friendly design is slightly overshadowed by some software locks and annoying (if not all *that* rare) Torx security screws.
- That said, a tool-less first disassembly step, easy fan access, and off-the-shelf storage expansion are always huge wins in our book.
- Where does the PS5 land on the repairability scale? Keep scrolling to find out.

Step 12 — DualSense Controller Teardown




- While we were waiting for our PS5 to arrive, we got busy on the DualSense controller. There's enough new stuff packed in to make this a meal on its own:
 - Space-age adaptive triggers, a top-of-the-line haptic system, larger trackpad, USB-C charging, a [very nifty grip pattern](#), and so much more.
 - The "Shock" has been dropped from the name, but its shock to the gaming industry will no doubt remain substantial.
- ① FYI: if you prefer to digest your teardowns in video form, you can also check out the [video version of this controller teardown](#) over on our YouTube channel.

Step 13



- The new design is so sleek that there are exactly zero visible screws. Looks like Sony is making us work for it...
- We aren't fazed though—where there's a seam, there's a way! The black trim cover around the joysticks unclips with ease, revealing two screws near the tips of the handles.
- [Surely](#) there are a couple more screws *somewhere*.
 - Aha! Two more screws are hidden under the L1 and R1 buttons, which come up with a little clip-prying (and potential flying).

Step 14




- Liftoff! Four Phillips screws and some clips are the only things standing between customers and an open DualSense controller. Not bad.
- Just like the DualShock 4 and DualShock 3 before it, the DualSense battery has a tough plastic shield and is not glued in place.
 - ☑ For sheer battery-swapping serviceability, this beats almost any modern smartphone ([though not quite all of them](#)).
- This grey monolith clocks in at 5.7 Wh. That's a sizable increase from the DualShock 4's 3.7 Wh pack, and there's a good reason for that extra juice: *something* has to power all this crazy new tech.
- ① The new DualSense cell is more in line with the 5 Wh pack in Nintendo's Switch Pro Controller, which is also [pretty easy to replace](#).

Step 15



- Next up, out come the guts: button sensors, motherboard, haptic drivers, and adaptive triggers, all mounted to a black midframe.
 - ① From this perspective, it's pretty clear how much faith Sony has in the DualSense's fancy upgrades. Half of the internal volume is dedicated to the triggers and haptics!
- Both adaptive trigger assemblies connect with cables, but the haptic drivers, USB-C port, and joysticks are all held down by soldered connections.
- On the backside lives the main circuit board. And where there's a circuit board, there are chips:
 - SIE CXD9006GG — Likely a custom Sony chip doing all the grunt work
 - Dialog DA9087 PMIC
 - Realtek ALC5524 audio codec
 - Nuvoton NAU8225 3.0 W Class-D Audio Amplifier

Step 16




- Let's dig into this classified alien tec—er, variable resistance trigger.
- The trigger works normally without any of the mechanics active, making contact with a button on the blue ribbon cable. But if game developers choose to, they can program the controller to precisely adjust how difficult the trigger is to pull.
- The silver motor spins the white worm gear, which drives the black lever arm up and provides resistance to the trigger's lever action, adding another level of feedback to the controller.

Step 17



- Let's take a quick deep dive on these triggers:
 - First up, the button sensors—R1 on the left and R2 on the right. R2 seems to use a "two-stage" sensor to differentiate partial and full trigger pulls, while R1 is a plain-Jane digital switch.
 - Next, the plastic frame, metal pin, and spring. These pieces perform the non-adaptive R2 trigger action, without the rest of the fancy parts.
 - The gear system works together as demonstrated in the previous step: the white worm gear (from the green bullet below) spins the circular gear, which drives the arm up to resist R2's lever action.
 - The white gear housing holds all the gear components together. The silver motor sticking out the bottom drives the worm gear. Its leads are soldered to the trigger module's circuit board (up next).
 - Finally, a circuit board to bring it all together! There are two ribbon cable connections: one to the buttons, and one to the motherboard. The black encoder measures the rotation of the circular gear from the yellow bullet.

Step 18



- With all the easily replaceable parts out, we're down to the soldered-on bits.
- First off are the two Foster-branded [voice coil actuators](#) driving the haptics system.
 - ❗ Did someone say [pallesthesia](#)?
- And next: the two joysticks. These look basically identical to the Alps-brand sticks from the DualShock 4.
 - Compared to these, a [Joy-Con joystick replacement](#) is a breeze. PlayStation joysticks are certainly less prone to drift than the notoriously drifty Joy-Cons, but soldering them on is a big miss.
- ❗ **Update:** After widespread reports of joystick drift in nearly-new DualSense controllers, we followed up with a detailed report explaining the cause: [Here's Why PS5 Joysticks Drift](#).
- And finally, the USB-C port. Another high-wear component that we'd much prefer to see easily replaced.


Step 19



- The DualSense controller turned out to be among the PS5's biggest upgrades.
- As a final treat, here's an X-ray look at all the DualSense we just dismantled, thanks again to our friends over at [Creative Electron](#).
- We also owe a huge thanks to iFixit contributor [Chunglin Chin](#), who did the detective work needed to ID all those chips in the motherboard steps. Great job!
- That's a wrap on this teardown! Time to put everything back together and see if we can salvage enough liquid metal for a gaming session.
- ★ If you haven't yet, be sure to check out our [Xbox Series X teardown](#), and the [PS5 and Xbox Series X comparison](#) to round out your 2020 console education.
- Only one more thing remains, and that's the score.

Step 20 — Final Thoughts

REPAIRABILITY SCORE:



- The PlayStation 5 earns a **7 out of 10** on our repairability scale (10 is easiest to repair):
 - Outer covers can be replaced without tools.
 - Many components are modular and disassembly is straightforward.
 - Vacuum-able dust ports makes de-dusting maintenance easier.
- Main storage is integrated to the motherboard, but expansion should be easy (once enabled by Sony) with off-the-shelf M.2 SSDs.
- The optical drive is a cinch to replace, but cannot be easily swapped thanks to software locks.
- Sealed-in liquid metal TIM could be challenging to replace during service.
- Use of security screws throughout creates an unnecessary hindrance to repairs.