

Lenovo Yoga 6 13ALC6 Battery Replacement

Use this guide to replace the battery in your...

Written By: Alex Diaz-Kokaisl



INTRODUCTION

Use this guide to replace the battery in your Lenovo Yoga 6 13ALC6 Laptop.

For your safety, discharge the battery below 25% before disassembling your device. This reduces the risk of fire if the battery is accidentally damaged during the repair. If your battery is swollen, [take appropriate precautions](#).



TOOLS:

T5 Torx Screwdriver (1)
1 x Opening Picks (1)
Spudger (1)
Phillips #1 Screwdriver (1)

PARTS:


5B10W67329 - Lenovo Laptop Battery - Genuine (1)

Step 1 — Unfasten the lower case



- Use a T5 Torx screwdriver to remove the six 7.2 mm screws securing the lower case.

Step 2 — Insert the opening pick



- Insert an opening pick between the lower case and the chassis at a hinge corner.
- Pry up with the pick to release the clips securing the lower case.
- Repeat the process on the other hinge corner.

Step 3 — Release the clips



- Slide the pick along the right edge to release the clips securing the lower case.

Step 4 — Release the remaining clips




- Continue sliding the opening pick along the front and left edges to release the remaining clips.

Step 5




- Insert the pick on the hinge edge and slide along the entire edge to release all of the clips.

Step 6




- Lift the lower case from the chassis and remove it.
- ✦ During reassembly, this is a good point to power on your laptop and test all functions before sealing it up. Be sure to power your laptop back down before you continue working.

Step 7 — Disconnect the battery




- Use the pointed end of a spudger to push each side of the battery connector until it comes out of the socket.

Step 8 — Unfasten the battery



- Use a Phillips screwdriver to remove the five 4.2 mm-long screws securing the battery.

Step 9 — Remove the battery



- Lift the battery straight out of its recess and remove it.

To reassemble your device, follow these instructions in reverse order.

For optimal performance, [calibrate your newly installed battery](#) after completing this guide.

Take your e-waste to an [R2 or e-Stewards certified recycler](#).

Repair didn't go as planned? Try some [basic troubleshooting](#), or ask our [Answers community](#) for help.

